AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listing of claims in the application. Deletions to the claims are indicated by strikethrough or double brackets. Additions to the claims are indicated by underline.

Listing of claims:

- 1. (Withdrawn) A method for screening compounds that modulate Fbp1-related disorders comprising:
 - a. contacting a test compound with Fbp1 and Fbp5, and
 - b. measuring the activity of Fbp1, such that if the activity measured in (b) is greater than or less than the activity measured in the absence of the test compound, then a compound that modulates Fbp1-related disorders is identified.
- 2. (Withdrawn) The method of Claim 1 wherein the activity of Fbp1 is measured by measuring the interaction of Fbp1 with Fbp5.
- 3. (Withdrawn) The method of Claim 1 wherein the activity of Fbp1 is measured by measuring the levels of protein of Fbp5.
- 4. (Withdrawn) A method for screening compounds that modulate Fbp1-related disorders, comprising:
 - a. contacting a compound with a cell or a cell extract expressing Fbp1 and Fbp5, and detecting a change in the activity of Fbp1, and
 - b. measuring the level of Fbp1 activity in a cell or cell extract in the absence of said compound,
 - such that if the level of Fbp1 activity measured in (b) differs from the level of activity in (a), then a compound that modulates an Fbp1-related disorder is identified.
- 5. (Withdrawn) The method of Claim 4 wherein the activity of Fbp1 is measured by measuring the interaction of Fbp1 with Fbp5.
- 6. (Withdrawn) The method of Claim 4 wherein the activity of Fbp1 is measured by measuring the levels of protein of Fbp5.

7. (Currently Amended) A method for screening compounds useful for the treatment of proliferative and differentiative disorders comprising contacting a compound with a cell or a cell extract expressing both Fbp1 FBP1, βTrcp2, and IκBα, and detecting a change in the activity of Fbp1 FBP1 or βTrcp2 activity.

8-10. (Canceled)

- 11. (Withdrawn) The method of Claim 7 wherein the change in the activity of Fbp1 or βTrcp2 is detected by detecting a change in the interaction of Fbp1 or βTrcp2 with IκBα.
- 12. (Canceled)
- 13. (Currently Amended) The method of Claim 7 wherein the change in the activity of Fbp1 FBP1 or βTrcp2 activity is detected by detecting a change in the levels of protein of IκBα protein levels.
- 14. (Currently Amended) A method for screening compounds useful for the treatment of proliferative and differentiative disorders comprising:
 - a.(1) contacting a compound with a cell or a cell extract expressing Fbp1

 FBP1, βTrcp, and IKBα, with a compound; and a test compound, and detecting a change in the activity of Fbp1, and
 - b. contacting a compound with a cell or a cell extract expressing βTrcp2,

 IKBα, and a test compound, and detecting a change in the activity of

 βTrcp2, and
 - c. contacting a compound with a cell or a cell extract expressing Fbp1,

 βTrcp2, IKBα, and the test compound or compounds identified as

 changing the activity of Fbp1 or βTrcp2, and detecting a change in the

 activity of Fbp1 or βTrcp2
 - (2) determining the ability of the compound to modulate FBP1 or \(\textit{BTrcp2}\)
 activity, wherein modulation of FBP1 or \(\textit{BTrcp2}\) activity in the presence of the compound and not in the absence of the compound identifies the compound; and

wherein the FBP1 or βTrcp2 activity comprises degradation of IκBα.

- 15. (Canceled)
- 16. (Currently Amended) The method of Claim 14 wherein the change in the activity of Fbp1 FBP1 or βTrcp2 activity is detected by detecting a change in the levels of protein of IκBα protein levels.
- 17. (Withdrawn) A method for diagnosing decreased fertility by examining Fbp1 in infertile individuals, comprising:
 - a. measuring the level of Fbp1 expression or activity in a tissue sample from an affected individual, and
 - b. comparing the level of Fbp1 expression or activity in the affected individual with the level of Fbp1 expression or activity in a clinically normal individual,

such that if decreased levels of Fbp1 expression or activity are detected in the affected individual relative to the clinically normal individual, an Fbp1-related infertility disorder is diagnosed.

- 18. (Withdrawn) The method of Claim 17, further comprising sequencing the Fbp1 gene in infertile individuals, to determine if a mutation in the Fbp1 gene is present.
- 19. (Withdrawn) The method of Claim 17, wherein measuring the level of Fbp1 expression comprises measuring Fbp1 RNA or protein levels in the sample.
- 20. (Withdrawn) A pharmaceutical composition for the treatment of Fbp1-related infertility, comprising (a) a compound that modulates Fbp1 activity and (b) a pharmaceutically acceptable carrier.
- 21. (Withdrawn) A method of treating Fbp1-related infertility, comprising administering to an individual in the need of such treatment a compound that modulates Fbp1 activity, in an amount effective for the treatment of the infertility.
- 22. (Withdrawn) A method for detecting an Fbp1-related infertility disorder in a mammal comprising measuring the level of Fbp1 activity or expression in said mammal, such that if the measured Fbp1 activity or expression differs from the level found in clinically normal individuals, then a Fbp1-related infertility disorder is detected.
- 23. (Withdrawn) The method of Claim 22, wherein the mammal is human.

- 24. (Withdrawn) The method of Claim 22, wherein the level of Fbp1 activity or expression is determined by detecting levels of Fbp1 RNA in said mammal.
- 25. (Withdrawn) The method of Claim 22, wherein the level of Fbp1 activity or expression is determined by detecting levels of Fbp1 protein in said mammal.
- 26. (Withdrawn) The method of Claim 22, wherein the Fbp1 RNA levels are measured by Northern Blot.
- 27. (Withdrawn) The method of Claim 22, wherein the Fbp1 protein levels are measured by Western Blot.
- 28. (Withdrawn) The method of Claim 22, wherein the Fbp1 protein levels are measured by immunoassay.
- 29. (Currently Amended) The method of claim 13 wherein the levels of IκBα protein levels are increased in the presence of the compound.
- 30. (Currently Amended) The method of claim 16, wherein the levels of IκBα protein levels are increase increased in the presence of the compound.
- 31. (Currently Amended) The method of claim 13, wherein the levels of IκBα protein levels are decreased in the presence of the compound.
- 32. (Currently Amended) The method of claim 16, wherein the levels of IκBα protein levels are decrease decreased in the presence of the compound.
- 33. (Previously Presented) The method of claim 13, wherein the IKBα protein levels are measured by immunoassay.
- 34. (Currently Amended) The method of claim 16, wherein the IκBα protein levels are measured by immunoassay.[[.]]
- 35. (Previously Presented) The method of claim 13, wherein the IKBα protein levels are measured by Western Blot.
- 36. (Previously Presented) The method of claim 16, wherein the IκBα protein levels are measured by Western Blot.